



For polyester coated items, use color suffixes after each galvanized item number  
B-Black; G-Green; BR-Brown

#### TENSION BANDS

14 Ga. x 3/4" Galvanized

Size	Item #	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
1 3/8"	WF8101	250			
1 5/8"	WF8102	250			
1 7/8"	WF8103	250			
2 3/8"	WF8104	250			
2 7/8"	WF8105	125			
3 1/2"	WF8106	100			
4"	WF8107	100			

#### BRACE BANDS — 12 ga. x 3/4"

1 5/8"	WF8108	250			
1 7/8"	WF8109	250			
2 3/8"	WF8110	250			
2 7/8"	WF8111	125			
3 1/2"	WF8112	100			
4"	WF8113	100			

#### TENSION BARS — 3/16" x 5/8"

3'	WF8114	25			
3 1/2'	WF8115	25			
4'	WF8116	25			
5'	WF8117	25			
6'	WF8118	25			
7'	WF8119	25			
8'	WF8120	25			

#### TENSION BARS 3/16" x 3/4"

10'	WF8121	25			
12'	WF8122	25			

#### TRUSS ROD Threaded with Nuts

3/8" x 10 1/2'	WF8123-	25			
3/8" x 12'	WF8124-	25			

#### TRUSS TIGHTENER

Size	Item #	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
Heavy	WF8125	50			
Residential	WF8126	50			

#### CAPS — Die Cast, Aluminum

1 3/8"	WF8127	250			
1 5/8"	WF8128	250			
1 7/8"	WF8129	250			
2 3/8"	WF8130	250			
2 7/8"	WF8131	125			

#### CAPS — Pressed Steel

1 3/8"	WF8132	250			
1 5/8"	WF8133	250			
1 7/8"	WF8134	250			
2 3/8"	WF8135	250			
2 7/8"	WF8136	125			
4"	WF8137	25			

#### EYE TOPS Die Cast, Aluminum

1 5/8" x 1 3/8"	WF8138	250			
1 7/8" x 1 3/8"	WF8139	125			
1 7/8" x 1 5/8"	WF8140	125			

#### EYE TOPS — Pressed Steel, Residential

1 5/8" x 1 3/8"	WF8141	250			
1 7/8" x 1 3/8"	WF8142	125			
1 7/8" x 1 5/8"	WF8143	125			

#### EYE TOPS Pressed Steel, Commercial

1 7/8" x 1 5/8"	WF8144	50			
2 3/8" x 1 5/8"	WF8145	50			
2 7/8" x 1 5/8"	WF8146	50			

#### ONE PIECE BARB ARM — Pressed Steel - 45° IMPORTED

1 7/8" x 1 5/8"	WF8147	25			
2 3/8" x 1 5/8"	WF8148	25			

For DOMESTIC, add .50

3275 E. Florence · Huntington Park, CA 90255 · 1.800.897.8208 · Fax 323.582.2016  
visit our website at: [www.westernfence.com](http://www.westernfence.com)



For polyester coated items, use color suffixes after each galvanized item number  
B-Black; G-Green; BR-Brown

**RAIL ENDS — Die Cast, Aluminum**

Size	Item #	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
1 3/8"	WF8201	250			
1 5/8"	WF8202	150			

**RAIL ENDS — Pressed Steel**

1 5/8" one-hole	WF8203	100			
1 5/8" two-hole	WF8204	100			

**SLEEVES**

1 3/8" x 6"	WF8205	100			
1 5/8" x 6"	WF8206	100			

**GATE FRAME HINGE — Without Bolts**

1 3/8" x 5/8"	WF8207	100			
1 5/8" x 5/8"	WF8208	50			
1 7/8" x 5/8"	WF8209	50			

**POST HINGES — Without Bolts**

1 7/8" x 5/8"	WF8210	50			
2 3/8" x 5/8"	WF8211	50			
2 7/8" x 5/8"	WF8212	50			

**180° HINGE — Pressed Steel**  
(Fits 1 5/8" or 1 7/8" Frame)

2 3/8"	WF8213	10			
2 7/8"	WF8214	10			
4"	WF8215	10			
6 5/8"	WF8216	10			

**AUTO CLOSING HINGE — Gravity**

1 7/8" x 1 3/8"	WF8217	25			
2 3/8" x 1 3/8"	WF8218	25			
2 7/8" x 1 3/8"	WF8219	25			

**FORK LATCH — Pressed Steel**

Size	Item #	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
1 3/8" x 1 7/8"	WF8220	25			
1 3/8" x 2 3/8"	WF8221	25			
1 5/8" x 2 3/8"	WF8222	25			
1 5/8" x 2 7/8"	WF8223	25			

**BUTTERFLY LATCH — Clamps to Gate Frame**

1 3/8" x 1 7/8"	WF8224	25			
1 3/8" x 2 3/8"	WF8225	25			

**LATCH ASSEMBLY — Residential Double Drive (1 3/8" Frame)**

1 3/8" x 36"	WF8226	10			
1 3/8" x 48"	WF8227	10			

**LATCH ASSEMBLY — Industrial Double Gate**  
(Includes: Fork, 3 guides, bolts, 1 3/8" drop rod up to 7 - 9 foot length)

1 5/8"	WF8228	5			
1 7/8"	WF8229	5			

**CORNER GATE ELLS — Die Cast Aluminum**

1 3/8"	WF8230	100			
--------	--------	-----	--	--	--

**CORNER GATE ELLS — Pressed Steel**

1 5/8"	WF8231	50			
1 7/8"	WF8232	25			

**GATE BRACE CLAMPS — Without bolts**

1 3/8" x 1 3/8"	WF8233	100			
1 5/8" x 1 5/8"	WF8234	100			



**VINYL COATED TENSION WIRE - 9 ga. Finish**

Color	Item # per foot	Ft. Per Roll	Roll Wt. Pounds	Less Roll per foot	Roll Price per foot
Green	WF8301	2,390'	100		
Black	WF8302	2,390'	100		
Brown	WF8303	2,390'	100		

**7 GAUGE VINYL COATED COIL SPRING**

price per pound

Green	WF8304	800'	80
Black	WF8305	800'	80
Brown	WF8306	800'	80


**VINYL FENCE TIES - 9 ga. Finish, Cut and Hooked**

Size / Color	Item #	CASE Quantity	BAG Quantity	BAG Price Each	CASE Price Each
5 1/2" Green	WF8307	1000	100		
5 1/2" Black	WF8308	1000	100		
5 1/2" Brown	WF8309	1000	100		
6 1/2" Green	WF8310	1000	100		
6 1/2" Black	WF8311	1000	100		
6 1/2" Brown	WF8312	1000	100		
7 1/2" Green	WF8313	1000	100		
7 1/2" Black	WF8314	1000	100		
7 1/2" Brown	WF8315	1000	100		
8 1/2" Green	WF8316	1000	100		
8 1/2" Black	WF8317	1000	100		
8 1/2" Brown	WF8318	1000	100		
9 1/2" Green	WF8319	1000	100		
9 1/2" Black	WF8320	1000	100		
9 1/2" Brown	WF8321	1000	100		

**VINYL HOG RINGS - 9 ga. Finish**

Case / Wt. Pounds	Less than 25 lbs. Price / lb.	25 lbs. or more Price / lb.
----------------------	-------------------------------------	-----------------------------------

9 ga. GREEN	WF8322	approx. 3,800	25
9 ga. BLACK	WF8323	approx. 3,800	25
9 ga. BROWN	WF8324	approx. 3,800	25



Prices are per foot

	Size O.D.	Item #	Wt./Ft.	PCS/Lift	Cut	Less Lift	Lift
<b>16 GAUGE FENCE TUBING</b>	1 3/8" PE	WF8401	0.871	91			
	1 5/8" PE	WF8402	1.110	61			
	1 7/8"	WF8403	1.274	61			
	2 3/8"	WF8404	1.604	37			
<b># 20 FENCE PIPE</b>	1 5/8"	WF8405	1.431	61			
	1 7/8"	WF8406	1.741	61			
	2 3/8"	WF8407	2.315	37			
	2 7/8"	WF8408	3.251	30			

**GALVANIZED 16 Ga. TUBING POSTS**

**# 20 FENCE POSTS**


Size	Item #	Price Ea.
1 5/8" x 5'	WF8409	
	WF8410	
	WF8411	
	WF8412	
	WF8413	
	WF8414	
1 7/8" x 5'	WF8415	
	WF8416	
	WF8417	
	WF8418	
	WF8419	
	WF8420	
2 3/8" x 5'	WF8421	
	WF8422	
	WF8423	
	WF8424	
	WF8425	
	WF8426	
x 6'	WF8427	
	WF8428	
	WF8429	

Size	Item #	Price Ea.
1 7/8" x 6'	WF8430	
	WF8431	
	WF8432	
	WF8433	
	WF8434	
	WF8435	
x 6 1/2'	WF8436	
	WF8437	
	WF8438	
	WF8439	
	WF8440	
	WF8441	
x 7'	WF8442	
	WF8443	
	WF8444	
	WF8445	
	WF8446	
	WF8447	
x 7 1/2'	WF8448	
	WF8449	
	WF8450	

Weights are based on galvanized product only

After suffixes for length use color code B-black, G-green, BR-brown

Example: 1 7/8" x 7' 16 Ga, black polyester WF8413B



Prices are per foot

Size O.D.	Item #	Wt./Ft.	PCS/Lift	Cut	Less Lift	Lift
1 5/8"	WF8501-	2.27	42			
1 7/8"	WF8502-	2.72	36			
2 3/8"	WF8503-	3.65	26			
2 7/8"	WF8504-	5.79	18			
3 1/2"	WF8505-	7.58	14			
4"	WF8506-	9.11	11			

**STANDARD  
WEIGHT**

1 5/8"	WF8507-	1.836	61			
1 7/8"	WF8508-	2.281	61			
2 3/8"	WF8509-	3.117	37			
2 7/8"	WF8510-	4.640	30			
3 1/2"	WF8511-	5.707	19			
4"	WF8512-	6.560	19			

**# 40  
FENCE PIPE**

### STANDARD WEIGHT POSTS

Size	Item #	Price Ea.
1 7/8" x 7'	WF8513	19.81
	WF8514	21.23
	WF8515	22.64
	WF8516	25.47
	WF8517	28.30
2 3/8" x 7'	WF8518	25.13
	WF8519	26.93
	WF8520	28.72
	WF8521	32.31
	WF8522	35.90
2 7/8" x 7'	WF8523	36.75
	WF8524	39.38
	WF8525	42.00
	WF8526	47.25
	WF8527	52.50
4" x 8'	WF8528	66.56
	WF8529	74.88
	WF8530	83.20

### # 40 FENCE POSTS

Size	Item #	Price Ea.
1 7/8" x 7'	WF8531	
	WF8532	
	WF8533	
	WF8534	
	WF8535	
2 3/8" x 7'	WF8536	
	WF8537	
	WF8538	
	WF8539	
	WF8540	
2 7/8" x 7'	WF8541	
	WF8542	
	WF8543	
	WF8544	
	WF8545	
3 1/2" x 7'	WF8546	
	WF8547	
	WF8548	
	WF8549	
	WF8550	
4" x 8'	WF8551	
	WF8552	
	WF8553	
	WF8554	
	WF8555	

Weights are based on galvanized product only

After suffixes for length use color code

B-black, G-green, BR-brown

Example: 2 3/8" x 8' 40, black polyester WF8538B



- Colors: Black (10), Green (15), Brown (20)
- Standard packaging: 50' rolls • Standard selvage: K & K

**RESIDENTIAL 9 GAUGE FINISH**

Prices per Hundred Linear Feet

9 GA Finish Extruded Fabric. 2" Mesh, .37 lbs per square foot			
HEIGHT	ITEM #	LESS than 1,000 ft.	MORE than 1,000 ft.
36"	WF8601		
42"	WF8602		
48"	WF8603		
60"	WF8604		
72"	WF8605		
84"	WF8606		
96"	WF8607		
120"	WF8608		
144"	WF8609		
9 GA, TENNIS COURT 1 3/4" Mesh			
120"	WF8610		
144"	WF8611		
9 GA, RESIDENTIAL 1 1/4" Mesh.Extruded			
60"	WF8612		
72"	WF8613		

**COMMERCIAL 8 GA. FINISH  
11 GA. GALVANIZED STEEL CORE WIRE**

Prices per Hundred Linear Feet

2" Mesh 11 GA			
HEIGHT	ITEM #	LESS than 1,000 ft.	MORE than 1,000 ft.
36"	WF8614		
42"	WF8615		
48"	WF8616		
60"	WF8617		
72"	WF8618		
84"	WF8619		
96"	WF8620		
120"	WF8621		
144"	WF8622		
8 GA, TENNIS COURT 1 3/4" Mesh			
120"	WF8623		
144"	WF8624		

- Also available: 9 GA. core, 6 GA. finish, extruded
- For other colors, special sizes, meshes or application – call your salesperson.



**BONDED PVC CHAIN LINK FABRIC**

• See BACK of this page for SPECIFICATIONS

<b>11 gin. Core, 10 gin.. Finish, 2" Mesh</b>			
HEIGHT	ITEM #	WEIGHT / 100'	PRICE
36"	WF8701	154	CALL
42"	WF8702	180	CALL
48"	WF8703	205	CALL
60"	WF8704	258	CALL
72"	WF8705	308	CALL
84"	WF8706	359	CALL
96"	WF8707	410	CALL
120"	WF8708	513	CALL
144"	WF8709	616	CALL

<b>9 ga. Core, 8 gin. Finish, 2" Mesh</b>			
HEIGHT	ITEM #	WEIGHT / 100'	PRICE
36"	WF8710	236	CALL
42"	WF8711	275	CALL
48"	WF8712	315	CALL
60"	WF8713	393	CALL
72"	WF8714	472	CALL
84"	WF8715	551	CALL
96"	WF8716	630	CALL
120"	WF8717	787	CALL
144"	WF8718	944	CALL

Ends are plastic coated to prevent rusting.

Colors (with suffix codes): Black (10) Green (15) Brown (20)

Standard packaging: 50' rolls, plastic wrapped.

Standard selvage: K & K

**For special sizes, meshes or applications — call your salesperson**



The following Bonded and Extruded products are available on special order.

**BONDED**

- 11 gauge core wire, 10 gauge finish
- 9 gauge core wire, 8 gauge finish
- 6 gauge core wire, 5 gauge finish


**EXTRUDED**

- 11 gauge core wire, 8 gauge finish
- 9 gauge core wire, 6 gauge finish

Can be ordered to meet these latest specifications:

- Federal RRF 191/1 Type IV
- AASHTO: M 181
- ASTM: F668

**REQUIREMENTS OF ASTM: F 668  
ADHESION TESTS OF SECTION 16.  
EXTRUDED**



**Adhesion test: Class 2a, paragraph 16.2.2 –**


“Three specimens from each lot shall be tested. Measure a distance of 3/4” (19 mm) from the end of the specimen. With a regular hand grip wire stripper, exert maximum hand pull parallel to the axis of the wire. Attempt to remove the measured portion of the vinyl sleeve from the core wire. The lot shall be acceptable if the vinyl sleeve is not capable of being removed from the core wire on all three samples.”

**BONDED PRODUCT LINE**

Product Descrip.	Steel Wire Core Dia.	Min. Zinc Coating	Min. Vinyl Thickness	Min. Break Strength	Finish Size
6 Gauge	.192	.4 oz/ft <sup>2</sup>	.006"	2,170 lbs.	5 Gauge
9 Gauge	.148	.3 oz/ft <sup>2</sup>	.006"	1,290 lbs.	8 Gauge
11 Gauge	.120	.3 oz/ft <sup>2</sup>	.006"	850 lbs.	10 Gauge

**ADHESION TESTS OF SECTION 16.  
BONDED**

**ADHESION TEST  
Class 2b**



**Adhesion test: Class 2b, paragraph 16.2.3 –**

“Three specimens from each lot shall be tested. Make two cuts parallel to the axis of the wire through the coating, approximately 1/16” (1.6 mm) apart, at least 1/2” (12.7 mm) long. With a knife, peel back a section of the coating between 1/8” (3.2 mm) and 1/4” (6.4 mm) long to produce a tab. Attempt to remove the 1/16” (1.6 mm) strip of coating by pulling the tab. The lot shall be acceptable if the coating breaks rather than separates from the core wire on all three specimens.”

**EXTRUDED PRODUCT LINE**

Product Descrip.	Steel Wire Core Dia.	Min. Zinc Coating	Min. Vinyl Thickness	Min. Break Strength	Finish Size
9 Gauge	.148	.3 oz/ft <sup>2</sup>	0.015"	1,290 lbs.	6 Gauge
11 Gauge	.120	.3oz/ft <sup>2</sup>	0.015"	850 lbs.	8 Gauge

If YOU have additional questions concerning these products, call us.

Send us your specification for our product specialists to quote you the product required.