




SINGLE GATES — RESIDENTIAL

Hardware included

Heights Opening	3'	3 1/2'	4'	5'	6'
3'	75.54	78.66	82.39	98.09	105.80
3 1/2'	78.91	81.52	85.80	102.72	110.37
4'	82.93	86.53	92.34	109.98	119.10
5'	89.85	94.15	99.56	119.85	126.35
6'	107.64	115.23	122.61	132.81	152.04
7'	115.12	123.61	130.37	148.85	163.91
8'	122.61	132.00	138.11	160.41	176.49
9'	135.99	147.54	152.45	182.84	203.40
10'	149.35	163.06	166.80	200.73	210.75
11'	158.29	170.88	180.71	217.53	236.42
12'	167.25	178.69	194.48	229.82	250.85




DOUBLE GATES — RESIDENTIAL

8'	189.59	197.73	205.86	235.08	249.39
9'	195.33	202.41	211.44	244.58	256.61
10'	201.12	208.40	217.94	255.30	276.24
11'	215.23	222.12	235.08	270.12	292.38
12'	222.12	241.59	256.49	283.35	315.26
13'	233.99	249.99	264.18	296.34	327.09
14'	241.46	258.39	271.89	309.41	343.52
15'	253.02	267.72	283.20	332.81	368.93
16'	268.14	282.09	296.79	355.56	394.25
17'	273.44	290.73	303.96	366.48	404.51
18'	283.20	306.27	316.10	376.80	417.99
19'	296.81	321.81	331.35	397.61	445.52
20'	309.93	337.31	351.59	418.43	473.07

Includes — 1 3/8" Bent or Square Frame
One Piece Scroll, Aluminum
11 Ga. Galvanized Fabric (GAW)
Horizontal Brace — 5' & 6' Heights
Necessary Bracing larger Sizes

Add one — Irregular Size,
Single Gate \$8.00
Double Gate \$16.00
Hillside 8.00 Lf
9 Ga. Fabric .75 sq/ft
Vinyl Fabric 1.00 sq/ft
Wood Link Fabric
Full Height sq/ft
• Trim to Height: Add \$3.00 LF •
Aluminum Strips sq/ft
Plastic Inserts
For Frame Only — 65% of Price



3275 E. Florence • Huntington Park, CA 90255 • 1.800.897.8208 • Fax 323.582.2016
visit our website at: www.westernfence.com



SPECIFICATIONS - INDUSTRIAL GATES

AVAILABLE:

- 1 5/8" x 16 Ga. Tube Frame
- 1 5/8" Structural
- 1 5/8" Schedule 40
- 1 7/8" Structural
- 1 7/8" Schedule 40

For other Frame sizes, ask for quote.
 All joints notched and arc welded.
 Fabric, 11 Ga. Galvanized after weaving.
 Securely fastened with tension bars, bands and bolts.
 Vertical and Horizontal braces where necessary.
 3/8" Truss Rods and Tighteners as required.
 Barb Wire - one foot (three strands) 4 point x 12 1/2 Ga.

EXTRAS

- | | |
|--|------------------------------|
| For 9 Ga. Fabric, GAW | Add \$.60 per square foot. |
| For 9 Ga. Finish Fabric, Vinyl | Add \$ 1.00 per square foot. |
| For all mitered corners | Add \$ 50.00 per gate |
| For 6" clamp on ground wheel for swing gates | Add \$ 35.10 per gate. |
| For Aluminum Strips | |
| For Plastic Inserts | Add \$ 2.50 per square foot. |
| Wood Link Fabric | |
| Full Height | 3.00 sq/ft |
| • Trim to Height: Add | \$5.00 LF • |

SINGLE INDUSTRIAL GATES

- 4" Allowed from opening for hardware clearance.
- For no hardware — Deduct \$ 10.66

DOUBLE INDUSTRIAL GATES

- 8" Allowed from opening for hardware clearance.
- For no hardware — Deduct \$ 35.11
- Drop Rod Assembly Only — Deduct \$ 20.67

ROLLING GATES

- 7" Added to opening for track wheel placement
- For no wheels or rollers — Deduct \$ 35.32

For no track or brackets - Deduct:



- | | |
|-----------|-----------------------------|
| \$ 76.40 | Gates up to 10' wide |
| \$ 122.22 | to 20' wide |
| \$ 168.64 | to 30' wide |
| \$ 213.86 | to 40' wide |

For Cantilever Gates - call for quotation. Hardware available.



SINGLE INDUSTRIAL GATES

Opening	Frame	HEIGHT					
		5'	6'	7'	8'	10'	12'
3'	1 5/8 STD. w/b wire	181.43 209.50	197.44 225.60	213.44 241.61	229.20 257.56	290.10 319.53	312.41 341.84
	1 5/8 STR. or 1 7/8 w/b wire	201.71 221.29	219.81 247.98	238.05 265.00	256.20 284.35	322.40 351.88	350.61 378.59
	1 5/8 STD. w/b wire	199.80 227.80	220.24 248.29	240.78 268.79	273.21 302.40	332.05 361.40	364.21 431.73
4'	1 5/8 STR. or 1 7/8 w/b wire	223.26 250.51	246.18 272.94	257.38 295.45	303.14 313.60	366.34 395.61	402.78 431.73
	1 5/8 STD. w/b wire	225.89 256.25	251.50 280.56	277.18 306.25	302.84 331.90	385.65 415.95	428.51 458.78
	1 5/8 STR. or 1 7/8 w/b wire	251.50 280.56	279.21 308.25	306.98 336.09	334.65 363.74	423.11 453.45	470.24 500.60
5'	1 5/8 STD. w/b wire	255.30 285.70	284.41 321.78	313.05 347.33	343.88 378.09	439.19 474.81	492.70 528.39
	1 5/8 STR. or 1 7/8 w/b wire	280.33 314.51	313.05 347.33	345.93 380.18	407.56 413.06	479.94 515.65	537.65 573.38
	1 5/8 STD. w/b wire	250.86 289.69	328.90 369.50	368.20 408.85	407.51 448.15	522.46 564.88	594.25 626.47
6'	1 5/8 STR. or 1 7/8 w/b wire	323.08 363.58	364.26 404.85	405.49 446.13	446.95 487.36	567.73 609.98	643.46 685.81
	1 5/8 STD. w/b wire	338.79 390.93	387.84 434.98	436.98 484.38	486.09 533.49	624.96 674.53	717.24 766.79
	1 5/8 STR. or 1 7/8 w/b wire	373.13 420.90	427.28 472.69	486.98 533.68	539.08 586.49	685.53 735.98	784.83 838.34
8'	1 5/8 STD. w/b wire	404.68 463.54	466.18 524.96	527.71 586.43	594.18 647.90	727.40 786.23	840.15 898.91
	1 5/8 STR. or 1 7/8 w/b wire	444.68 503.41	509.23 567.96	586.01 719.85	650.64 709.38	795.09 853.84	913.86 972.63
	1 5/8 STD. w/b wire	404.68 463.54	466.18 524.96	527.71 586.43	594.18 647.90	727.40 786.23	840.15 898.91
10'	1 5/8 STR. or 1 7/8 w/b wire	444.68 503.41	509.23 567.96	586.01 719.85	650.64 709.38	795.09 853.84	913.86 972.63
	1 5/8 STD. w/b wire	404.68 463.54	466.18 524.96	527.71 586.43	594.18 647.90	727.40 786.23	840.15 898.91
	1 5/8 STR. or 1 7/8 w/b wire	444.68 503.41	509.23 567.96	586.01 719.85	650.64 709.38	795.09 853.84	913.86 972.63
12'	1 5/8 STD. w/b wire	404.68 463.54	466.18 524.96	527.71 586.43	594.18 647.90	727.40 786.23	840.15 898.91
	1 5/8 STR. or 1 7/8 w/b wire	444.68 503.41	509.23 567.96	586.01 719.85	650.64 709.38	795.09 853.84	913.86 972.63
	1 5/8 STD. w/b wire	404.68 463.54	466.18 524.96	527.71 586.43	594.18 647.90	727.40 786.23	840.15 898.91



PRICES INCLUDE HINGES AND LATCH (See page 4)

3275 E. Florence · Huntington Park, CA 90255 · 1.800.897.8208 · Fax 323.582.2016
visit our website at: www.westernfence.com



SINGLE INDUSTRIAL GATES

Opening	Frame	HEIGHT					
		5'	6'	7'	8'	10'	12'
14'	1 5/8 STD. w/b wire	475.81 541.41	550.46 616.13	625.40 691.01	700.31 765.85	865.98 935.11	1005.01 1070.54
	1 5/8 STR. 1 7/8 w/b wire	521.76 657.83	599.73 665.55	692.83 758.35	770.85 888.24	943.04 1008.54	1088.35 1153.91
16'	1 5/8 STD. w/b wire	529.26 599.00	614.73 684.56	700.31 770.08	785.81 855.65	972.83 1042.74	1133.26 1203.04
	1 5/8 STR. or 1 7/8 w/b wire	579.44 649.40	660.24 738.10	774.04 843.93	862.79 903.94	1056.31 1126.18	1223.10 1292.93
18'	1 5/8 STD. w/b wire	581.61 656.73	678.91 752.96	775.35 866.76	874.43 945.40	1079.76 1153.95	1261.56 1335.71
	1 5/8 STR. or 1 7/8 w/b wire	637.25 711.34	736.63 811.01	855.34 929.56	957.681 1028.90	1210.08 1249.33	1357.78 1431.86
20'	1 5/8 STD. w/b wire	636.13 714.53	743.04 821.51	848.95 928.36	956.91 1035.21	1186.64 1265.10	1389.86 1468.31
	1 5/8 STR. or 1 7/8 w/b wire	694.90 773.05	805.11 883.44	936.56 1014.91	1046.70 1125.13	1281.96 1361.41	1424.96 1570.88


Includes — Frame, size and weight as ordered
 Gate Frame Hinges
 5/8" x 6" Hinge Hanger Bolts or
 Clamp on Post Hinges
 Malleable Fork Latch
 For no Hardware - Deduct **\$10.65**

Add For — 180° Industrial Hinges
 2 3/8" or 2 7/8" **\$16.50**
 3 1/2" or 4" **\$20.00**
 6 5/8" **\$33.00**




DOUBLE INDUSTRIAL GATES

Opening	Frame	HEIGHT					
		5'	6'	7'	8'	10'	12'
8'	1 5/8 STD. w/b wire	377.13 444.33	418.13 483.48	457.33 522.73	519.14 587.44	601.20 669.38	683.14 751.43
	1 5/8 STR. 1 7/8 w/b wire	422.03 487.39	465.18 529.11	508.50 573.56	576.51 644.85	669.60 734.68	776.73 835.05
	1 5/8 STD. w/b wire	447.34 514.73	498.64 566.99	549.88 618.15	601.10 669.38	734.18 805.45	840.65 912.35
	1 5/8 STR. or 1 7/8 w/b wire	498.64 566.99	553.95 622.30	609.36 677.60	664.63 732.89	808.95 880.25	924.48 995.80
12'	1 5/8 STD. w/b wire	478.33 542.31	535.73 570.99	594.63 659.93	653.35 718.65	794.75 872.68	927.18 995.40
	1 5/8 STR. or 1 7/8 w/b wire	531.84 587.19	594.63 659.93	657.25 722.64	720.00 815.39	882.23 950.31	1013.13 1081.24
	1 5/8 STD. w/b wire	525.98 600.09	594.63 672.99	663.10 741.58	731.76 810.00	906.51 987.73	1049.93 1131.78
	1 5/8 STR. or 1 7/8 w/b wire	586.68 665.03	659.20 737.68	731.74 810.19	804.33 882.84	990.55 1072.41	1141.99 1223.73
16'	1 5/8 STD. w/b wire	575.00 659.93	649.15 738.30	731.74 816.75	810.19 895.05	1009.06 1097.69	1172.61 1261.25
	1 5/8 STR. or 1 7/8 w/b wire	641.59 726.55	723.88 808.83	806.23 891.14	888.58 973.53	1099.04 1187.63	1270.83 1359.46
	1 5/8 STD. w/b wire	623.94 724.55	689.14 812.84	800.30 900.00	954.55 1058.49	1123.79 1216.29	1295.33 1400.33
	1 5/8 STR. or 1 7/8 w/b wire	688.73 789.21	782.80 883.38	894.43 995.10	988.53 1089.06	1227.78 1332.84	1424.19 1529.18
20'	1 5/8 STD. w/b wire	672.99 777.46	770.99 875.49	868.93 973.53	966.95 1071.45	1213.56 1322.61	1418.11 1527.14
	1 5/8 STR. or 1 7/8 w/b wire	741.58 846.06	845.50 950.03	968.95 1073.43	1072.83 1177.34	1336.28 1445.35	1553.21 1662.13



PRICES INCLUDE HINGES AND LATCH (See Page 6)

3275 E. Florence · Huntington Park, CA 90255 · 1.800.897.8208 · Fax 323.582.2016
visit our website at: www.westernfence.com



DOUBLE INDUSTRIAL GATES

Opening	Frame	HEIGHT					
		5'	6'	7'	8'	10'	12'
22'	1 5/8 STD.	753.34	865.83	978.36	1090.86	1315.78	1540.83
	w/b wire	695.85	979.00	1091.46	1204.00	1427.86	1653.99
	1 5/8 STR.	829.10	947.61	1088.86	1207.33	1444.61	1681.96
	or 1 7/8 w/b wire	943.16	1060.78	1201.95	1320.58	1557.80	1795.06
24'	1 5/8 STD.	804.45	927.18	1052.03	1172.24	1418.05	1663.50
	w/b wire	920.95	1044.46	1167.21	1289.91	1535.83	1768.26
	1 5/8 STR.	884.31	1013.13	1166.46	1295.31	1552.95	1810.78
	or 1 7/8 w/b wire	1001.46	1130.28	1283.61	1412.66	1670.34	1927.23
26'	1 5/8 STD.	855.58	988.59	1121.55	1254.43	1520.35	1786.16
	w/b wire	976.95	1087.05	1242.85	1375.71	1641.65	1907.55
	1 5/8 STR.	941.01	1130.28	1233.63	1379.90	1620.34	1939.63
	or 1 7/8 w/b wire	1060.78	1199.90	1365.56	1504.68	1782.79	2060.95
28'	1 5/8 STD.	907.18	1049.93	1188.69	1336.28	1622.56	1908.94
	w/b wire	1032.18	1175.35	1318.45	1461.61	1748.05	2034.35
	1 5/8 STR.	994.65	1143.94	1321.94	1471.28	1769.85	2068.43
	or 1 7/8 w/b wire	1120.15	1269.45	1447.34	1529.88	1895.21	2193.89
30'	1 5/8 STD.	956.96	1111.28	1264.68	1418.05	1724.96	2031.65
	w/b wire	1088.19	1240.79	1394.21	1547.63	1852.88	2161.20
	1 5/8 STR.	1049.93	1209.50	1399.61	1559.24	1878.23	2196.45
	or 1 7/8 w/b wire	1179.48	1338.90	1529.18	1688.89	2007.75	2324.20

Includes —

Frame, size and weight as ordered
Gate Frame Hinges
5/8" x 6" Hinge Hanger Bolts or
Clamp on Post Hinges
Malleable Fork Latch

For no Hardware - Deduct \$37.64
Drop Rod Assembly Only - Deduct \$23.00

Add For —

180° industrial Hinges or Bulldog Hinges
2 3/8" or 2 7/8" \$33.00
3 1/2" or 4" \$40.00
6 5/8" \$66.00

3275 E. Florence · Huntington Park, CA 90255 · 1.800.897.8208 · Fax 323.582.2016
visit our website at: www.westernfence.com



ROLLING GATES — RESIDENTIAL SIZE



Opening	Frame	HEIGHT				
		3'	3 1/2'	4'	5'	6'
10'	1 5/8 STD.	463.26	488.41	513.36	563.42	619.35
	1 5/8 STR.	366.94	506.70	534.57	593.33	651.77
12'	1 5/8 STD.	569.02	597.52	625.48	1032.92	738.47
	1 5/8 STR.	580.91	614.39	647.39	713.52	779.73
14'	1 5/8 STD.	594.61	627.20	659.62	735.14	789.56
	1 5/8 STR.	611.56	648.74	688.03	763.82	840.84
16'	1 5/8 STD.	620.20	657.09	693.63	766.87	840.68
	1 5/8 STR.	642.04	685.57	736.96	815.43	901.93
18'	1 5/8 STD.	646.26	687.05	727.82	809.86	891.89
	1 5/8 STR.	672.67	721.31	769.54	866.33	963.18
20'	1 5/8 STD.	671.18	761.93	761.93	852.44	942.97
	1 5/8 STR.	703.24	810.26	810.26	917.35	1024.28

Includes —

- 1 5/8" x 16 Ga. Tube Frame
- or
- 1 5/8" BF20 Pipe Frame, as ordered.
- 6" Single Wheel
- 2 - Pressed Steel Pipe Track Rollers.
- 2 - Clamp on Brackets for Rollers.
- Chain for Locking.
- Openings to 10' - 20' - 1 5/8" C20 Pipe for Track
- 4' - Track Brackets
- Openings to 20' - 40' - 1 5/8" C20 Pipe for Track
- 6 - Universal Track Brackets

Add For —

- 6" Single Wheel N/C
- 8" Single Wheel \$20.00
- 6" Double Wheel, Clamp on \$39.00






ROLLING GATE — INDUSTRIAL

Opening	Frame	HEIGHT				
		5'	6'	7'	8'	10'
10	1 5/8 STD.	549.29	603.46	686.40	742.83	856.25
	w/b wire	601.80	631.14	741.29	797.88	911.08
	1 5/8 STR.					
	or					
	1 7/8	584.55	641.96	805.40	798.15	919.55
	w/b wire	637.36	694.56	795.38	855.11	974.41
12'	1 5/8 STD.	660.65	723.39	817.36	881.39	1009.40
	w/b wire	714.78	776.04	873.83	928.16	1065.85
	1 5/8 STR.					
	or					
	1 7/8	690.38	762.55	875.51	941.96	1075.88
	w/b wire	751.24	816.63	930.03	998.46	1132.35
14'	1 5/8 STD.	707.75	778.55	883.94	960.16	1107.86
	w/b wire	765.56	836.44	946.73	1020.60	1168.25
	1 5/8 STR.					
	or					
	1 7/8	749.39	822.84	949.83	1026.94	1180.24
	w/b wire	807.20	880.85	1010.23	1087.23	1240.70
16'	1 5/8 STD.	755.03	834.94	954.08	1038.96	1206.33
	w/b wire	817.20	895.93	1019.48	1103.23	1270.71
	1 5/8 STR.					
	or					
	1 7/8	800.35	883.39	1024.66	1111.38	1283.26
	w/b wire	861.90	944.98	1089.04	1174.68	1348.98
18'	1 5/8 STD.	802.16	892.09	1024.14	1117.18	1304.66
	w/b wire	867.59	957.24	1092.43	1185.98	1373.11
	1 5/8 STR.					
	or					
	1 7/8	851.21	943.73	1099.58	1196.00	1389.09
	w/b wire	916.71	1009.19	1167.76	1264.34	1457.35
20'	1 5/8 STD.	849.33	949.26	1092.99	1196.55	1403.30
	w/b wire	918.60	1017.70	1165.28	1268.69	1475.54
	1 5/8 STR.					
	or					
	1 7/8	900.30	1003.75	1174.40	1280.79	1493.50
	w/b wire	970.18	1073.00	1246.58	1352.58	1565.64
22'	1 5/8 STD.	978.51	1140.25	1253.98	1367.18	1546.46
	w/b wire	1103.55	1216.83	1330.11	1443.00	1623.96
	1 5/8 STR.					
	or					
	1 7/8	1091.48	1241.83	1340.06	1465.16	1699.54
	w/b wire	1167.63	1284.79	1422.21	1541.28	1775.73

PRICES INCLUDE PIPE TRACK AND HARDWARE (See Page 10)

3275 E. Florence • Huntington Park, CA 90255 • 1.800.897.8208 • Fax 323.582.2016
visit our website at: www.westernfence.com




ROLLING GATES — INDUSTRIAL

Opening	Frame	HEIGHT				
		5'	6'	7'	8'	10'
24'	1 5/8 STD.	1076.69	1199.75	1322.84	1446.09	1693.80
	w/b wire	1156.79	1279.84	1402.95	1522.84	1772.28
	1 5/8 STR.					
	or					
	1 7/8	1144.66	1271.65	1422.89	1549.91	1803.88
	w/b wire	1224.66	1351.69	1513.20	1629.94	1884.04
26'	1 5/8 STD.	1125.86	1258.85	1391.81	1524.74	1790.63
	w/b wire	1209.94	1342.89	1475.83	1608.76	1874.60
	1 5/8 STR.					
	or					
	1 7/8	1198.60	1334.83	1497.66	1634.55	1908.33
	w/b wire	1281.90	1418.74	1581.68	1718.56	1992.35
28'	1 5/8 STD.	1175.13	1321.13	1460.71	1603.50	1889.01
	w/b wire	1263.15	1405.90	1548.61	1691.46	1977.06
	1 5/8 STR.					
	or					
	1 7/8	1251.03	1397.68	1572.48	1719.25	2012.74
	w/b wire	1338.94	1485.64	1660.48	1807.23	2102.93
30'	1 5/8 STD.	1224.34	1377.48	1529.65	1682.26	1987.55
	w/b wire	1316.29	1468.94	1621.59	1774.16	2079.51
	1 5/8 STR.					
	or					
	1 7/8	1304.19	1460.64	1647.33	1803.88	2117.18
	w/b wire	1396.05	1552.63	1739.24	1895.83	2209.09
32'	1 5/8 STD.	1365.50	1530.63	1690.50	1852.99	2178.03
	w/b wire	1461.40	1623.96	1786.26	1948.86	2273.80
	1 5/8 STR.					
	or					
	1 7/8	1422.26	1621.59	1820.48	1988.51	2323.26
	w/b wire	1244.99	1717.43	1916.89	2084.28	2419.91
34'	1 5/8 STD.	1414.76	1587.00	1759.49	1931.79	2275.59
	w/b wire	1514.59	1686.85	1859.20	2031.54	2375.88
	1 5/8 STR.					
	or					
	1 7/8	1507.35	1684.64	1895.83	2073.06	2427.59
	w/b wire	1607.14	1789.31	1995.43	2172.94	2527.46
36'	1 5/8 STD.	1463.90	1646.13	1828.39	2008.01	2364.90
	w/b wire	1567.70	1749.85	1932.11	2114.29	2478.55
	1 5/8 STR.					
	or					
	1 7/8	1560.54	1747.61	1970.70	2156.38	2532.01
	w/b wire	1664.25	1851.35	2074.38	2255.00	2635.79

PRICES INCLUDE PIPE TRACK AND HARDWARE (See Page 10)

3275 E. Florence • Huntington Park, CA 90255 • 1.800.897.8208 • Fax 323.582.2016
visit our website at: www.westernfence.com



ROLLING GATES — INDUSTRIAL

Opening	Frame	HEIGHT				
		5'	6'	7'	8'	10'
38'	1 5/8STD	1513.24	1908.33	1897.29	2080.41	2473.70
	w/b wire	1620.88	1812.91	2004.96	2196.99	2580.99
	1 5/8STR					
	or					
40'	1 7/8STD	1613.63	1810.61	2045.55	2242.54	2636.40
	w/b wire	1721.41	1918.33	2153.18	2350.16	2744.04
	1 5/8STD	1562.49	1470.30	1966.24	2168.11	2571.89
	w/b wire	1674.09	1876.01	2077.84	2279.71	2683.49
40'	1 5/8STR					
	or					
	1 7/8STD	1502.70	1872.16	2121.64	2327.20	2740.79
	w/b wire	1803.45	1963.10	2231.98	2438.84	2852.43

PRICES INCLUDE PIPE TRACK AND HARDWARE AS FOLLOWS:

- 1 5/8" Standard Pipe Frame
- or
- 1 5/8" Standard Weight Pipe Frame
- or
- 1 7/8" Standard Pipe Frame, as ordered
- 8" or 6" Single Wheel Carrier
- 2 - Pressed Steel Pipe Track Rollers
- 2 - Clamp on Brackets for Rollers

Chain for Locking

- Openings to 10' - 20' - 1 5/8" Structural Pipe for Track
- 4 - Track Brackets ~,
- Openings to 20' - 40' - 1 5/8" Structural Pipe for Track
- 6 - Track Brackets
- Openings to 30' - 60' - 1 5/8" Structural Pipe for Track
- 8 - Track Brackets
- Openings to 40' - 80' - 1 5/8" Structural Pipe for Track
- 10 - Track Brackets

Add For —

- 6" Single Wheel N/C
- 8" Single Wheel N/C
- 8" Double Wheel, Clamp on \$40.00
- "V" Groove Wheel, 6" \$39.00
- Track for "V" Groove \$ 8.00 per foot
- Track with Rebar Hangers or Tabs \$18.00 per foot

3275 E. Florence • Huntington Park, CA 90255 • 1.800.897.8208 • Fax 323.582.2016
visit our website at: www.westernfence.com